







### SASSEV. RACING TRANSMISSION

RANGE 2000 2 WHEEL DRIVE



Designed primarily for two-wheel-drive rally-raid, the **SL9O-23** is designed for driving across dunes, steppes and the the trickiest terrain. Thanks to its ingenious design, it absorbs heavy loads from V8-type engines and sudden increases in torque administered by the most difficult circuits.



# APPLICATION

> Rally-raid



## **TECHNICAL SPECS**

6 speed sequential gearbox + 1 reverse gear

Super-polished bevel gear ratio 9x34 or 8x35

The bevel gear is cut and grinded in house on our CNC units

Wide range of ratios available

Straight cut gears

Dog ring gear engagement

Interchangeable gear ratios

High strength carburizing steel

Gear teeth grinded with optimized profile

Shot penning on internal parts

Specific input shaft

Hydraulic clutch bearing

Central limited slip differential

Ramp and plate system - 3 discs type

Preload made by belleville spring washer

Wide range of ramp plates available

Reverse lockout cable or option of solenoïd

Splash lubrication system

Oil pump integrated

Directed and pressurised lubrication on the gears and bevel gear

Oil suction screen

Magnetic drain plugs

Painted AS7G aluminum casings

Assembled with spacers and studs

Weight (input shaft included) : 85 kg - 187 lbs





DIFFERENTIAL LOCKING ROD

#### DIFFERENTIAL LOCKING SYSTEM

The locking of the limited slip differential helps you to cross the toughest roads



# TRANSAXLE

- > Reliability: With several Dakar rallies and major off-road races under its belt, the SL9O-23 offers proof of its reliability, an important criterion for off-road racing.
- > Robustness: Our finite element calculation tool enables us to design extremely strong, compact, lightweight casings.
- > Gears: The SL9O-23 benefits from optimised and strengthened gear tooth profiles for maximum efficiency.
- > Ratio selection: Optimised clutch and control shaft definition for smoother gear shifting.
- Differential locking: Possibility of locking the front differential mechanically for the best traction on sandy terrain.
- > Cooling: An oil pump built into the SL9O-23 and driven mechanically enables an external oil cooler to be connected. The internal circuit and directed lubrication maintain the best operating temperature for optimum reliability.

## MAXIMUM ENGINE TORQUE

Rally-raid >

650 N.m

► N.m



## ONE PASSION: VICTORY

SADEV has an exceptional record in supplying unique engineering to the most prestigious drivers and manufacturers. SADEV's products stand out for their technology, their excellence and their ambition. As precise as they are reliable, these high-tech masterpieces are the key to your victory. SADEV has just one goal: to make sure you win.



6, rue Grand'Montains - 85110 SAINT-PROUANT - FRANCE Tel: +33 (0)2 51 66 42 68 sadev@sadev-tm.com

### A TEAM **AT YOUR SIDE**

FRANCE	SADEV FRANCE - sadev@sadev-tm.com
USA	SADEV TRANSMISSIONS, INC info.usa@sadev-tm.com
UK	SWR MOTORSPORT LTD - servicesswrmotorsport@gmail.com
ITALY	GIEFFE RACING - info@giefferacing.com
SPAIN	DE LA PUENTE MOTORSPORT - dlpmotorsport@movistar.es
NETHERLANDS	RACING DEVELOPMENT - info@racingdevelopment.nl
NETHERLANDS	PETERS AUTOSPORT - bart@petersautosport.nl
BELGIUM	R TEC - info@rtec.ws
CZECH REPUBLIC	SADAC - info@sadac.cz
GERMANY	MTO ENGINEERING - info@mtoengineering.com
SWEDEN	HANSEN MOTORSPORT - kenneth@hansen-motorsport.se
DENMARK	GUNNAR AASKOV MOTORSPORT - mail@aaskov-motorsport.dk
FINLAND	SET PROMOTION - kalle.pinomaki@setpromotion.com
SWITZERLAND	CHRISTIAN FERRARI - ferrach@bluewin.ch
SOUTH AFRICA	CENTURY RACING - julien@centuryracing.co.za
ARGENTINA	JPO RACING - racingjpo@gmail.com
BRAZIL	CD MOTORSPORT ENGINEERING - sadev.brasil@gmail.com





